Forced molting of hens used in egg production is cruel to the birds and increases the spread of Salmonella enteritidis infection. Please grant the petition, filed under docket #98P-0203/CP, that would eliminate this practice. Signed Mrs. L.F. Fivrentree Address 2 Oak Brook Clab Ar
spread of Salmonella enteritidis infection. Please grant the petition, filed under docket #98P-0203/CP, that would eliminate this practice. Signed Mrs. L.F. Fivrenires Address 2 Oak Brook Clab Ar
Signed Mrs. L.F. Florentrese Address 2 Oak Brook Clab Dr
Signed Mrs. L.F. Fiorentreso Address 2 Oak Brook Club Sr
Address 2 Oak Brook Clab Dr
Address 2 Oak Brook Clab Dr
City State 7in O. 1 Brook 1/2 60522 1111 11 A10:40
City, state, Zip
City, State, Zip Oolbrok, IL 2412 Send to: Dockets Management Branch, Food & Drug Administration, Dept. of Health & Human Services, 12420 Parklawn Drive, Room 1-23, Rockville, MD 20857.

Starving Your Dog or Cat Is Against the Law . . .

If the average person decided to withhold food from their dog or cat for days or weeks, that person would probably be charged with cruelty to animals and the media would take the story and run with it. Yet, each year the egg industry intentionally deprives millions of hens of all food for up to 14 days. But the cameras aren't rolling and no one is going to jail.

The U.S. egg industry force molts – intentionally starves – entire flocks to manipulate their metabolism, forcing exhausted hens

to produce a few hundred more eggs before going to slaughter.

Please fill in and mail the coupon below to the Food and Drug



During the forced molt, hungry hens peck desperately at empty metal food trays. They are driven to pluck and eat each others' feathers to obtain nutrients. Denuded of feathers and deranged by fear, they lose up to 35 percent of their body weight. Countless hens die from the stress.

Forced molting is so stressful it increases bone breakage and impairs the hens' immune system, predisposing the birds and their eggs to Salmonella infection. USDA immunol-

ogist Peter Holt reports, "Molting, in combination with an SE (Salmonella enteritidis) infection, created an actual disease state in the alimentary tract of affected hens."

